


Miscellaneous / Door Frames and Accessories



RFK3 3" PARABOLIC RETROFIT KIT

/ RFK3 3" Parabolic Retrofit Kit /


PART #	DESCRIPTION	STANDARD SIZE
RFK3	Deep Cell Retrofit Kit	1' x 4'
RFK3	Deep Cell Retrofit Kit	2' x 2'
RFK3	Deep Cell Retrofit Kit	2' x 4'

Additional sizes are available. Please call for quotation.

Product Description:

- * Deep Cell Parabolic Retrofit Kit.
- * Wide variety of cell configurations.
- * Installs easily onto grid ceiling applications.

RFK PANEL CONFIGURATIONS



RDF REPLACEMENT DOOR FRAME

/ RDF Replacement Door Frame/

PART #	DESCRIPTION	COLOR	STANDARD SIZE
RDF-1448	1' x 4' Door Frame	White	11 3/4" x 47 3/4"
RDF-2424	2' x 2' Door Frame	White	23 3/4" x 23 3/4"
RDF-2448	2' x 4' Door Frame	White	23 3/4" x 47 3/4"

Other sizes are available on special order basis. Please call for quotation.

Product Description:

- * Sturdy white steel frame and hinged door assembly install easily onto any suspended grid ceiling, regardless of fixture manufacturer.
- * Door frame can be fitted with any style lens or louver.
- * Ideal for applications where original fixtures never had door frames, or where frames are missing, damaged or no longer available.

Miscellaneous / Vandal Lens



/ Vandal Lens - Lensgard Assemblies /

PART#	DESCRIPTION	COLOR	SIZE
X21-PA250-237477	.250 Lensguard	Clear	23 3/4" x 47 3/4"
X21-PA375-237477	.375 Lensguard	Clear	23 3/4" x 47 3/4"

LENSGARD® assemblies can be manufactured to specified dimensions up to 4' x 4'.

Product Description:

- * Composite lens consisting of a prismatic acrylic lens and a protective polycarbonate shielding. The perimeter of the lens is sealed by a specially designed channel which is chemically welded.
- * Designed for area where vandalism or accidental damage may be a problem. It is used in different applications such as school gymnasiums, racquet ball courts, psychiatric wards, detention facilities, public areas, etc.




VANDAL LENS - LENSgard® ASSEMBLIES

/ Twin Wall Polycarbonate /


PART#	DESCRIPTION	COLOR	SIZE
POLYGAL 6MM TW	6MM Twin Wall Polycarbonate	White	48" x 100"
POLYGAL 6MM TWX	6MM Twin Wall Polycarbonate	White	72" x 102"

Product Description:

- * Twin Wall Polycarbonate sheets provide superior strength, light transmission, flexibility and weather resistance characteristics.
- * Twin wall corrugated polycarbonate plastic gives thermal insulating values while blocking UV transmission.
- * Virtually unbreakable, light in weight, yet 8 times stronger than acrylic.
- * Flame retardant, melts with igniting. Will not support combustion or spread flames. CC-1 Fire Rating per ASTM D635
- * Recommended applications include areas where vandalism may occur or to meet fire codes in elevator applications.
- * Stocked in clear, opal white & bronze. Other colors available.



TWIN WALL POLYCARBONATE



VANDAL LENS - POLYGARD® ASSEMBLIES

/ Vandal Lens - Polygard Assemblies/

PART #	DESCRIPTION	COLOR	SIZE
X21-2P-250	.250 2 Ply Polycarbonate	Clear	23 3/4" x 47 3/4"
X21-3P-375	.375 3 Ply Polycarbonate	Clear	23 3/4" x 47 3/4"
X21-3P-500	.500 3 Ply Polycarbonate	Clear	23 3/4" x 47 3/4"

POLYGARD® assemblies can be manufactured to specified dimensions up to 4' x 4'.


Product Description:

- * Composite lens consisting of a multi-ply polycarbonate prismatic lens and a protective polycarbonate shielding. Chemically welded perimeter channel seals lens.
- * Two ply or optional three ply laminates provide a full range of selection for security areas.
- * Applications include maximum security areas, which have the most stringent requirements imposed by correctional facilities.

PROFILE - 2 ply



PROFILE - 3 ply



VANDAL LENS - PS21PC POLYCARBONATE

/ Vandal Lens - PS21PC Polycarbonate /


PART #	DESCRIPTION	COLOR	SIZE
PS21-PC125-24	.125 Polycarbonate	Clear	23 3/4" x 47 3/4"
PS21-PC125-44	.125 Polycarbonate	Clear	50" x 50"
PS21-PC125-44	.125 Polycarbonate	Clear	47 3/4" x 47 3/4"
PS21-PC187-44	.187 Polycarbonate	Clear	47 3/4" x 47 3/4"
PS21-PC-XX	Custom sizes available - call Plast-D-Fusers with requirements.		

Product Description:

- * Virtually indestructible material, suitable for applications where impact strength is of major concern such as security lighting, vandal fixtures, prisons, sport courts, outdoor lighting, etc.

Product Description:

- * Injection molded or pressure formed in clear and white polycarbonate and acrylic.
- * Multi-pattern diffuser with ultra-violet inhibitors to minimize discoloration.
- * Many shapes and styles to accommodate incandescent, fluorescent, PL and HID type lamps.
- * Complete assemblies are available including diffuser, housing, gasket and sockets.
- * Applications include correctional facilities, recreation areas, institutions, schools and other public areas.
- * Replacement parts for manufacturers such as Kenall, Failsafe, Harris and others.



**VANDAL LENS - MOLDED
POLYCARBONATE AND ACRYLIC**

/ Vandal Lens - Molded Polycarbonate and Acrylic /

PART #	WIDTH	LENGTH	HEIGHT	COLOR	MATERIAL
V-58-CP	5 1/4"	7 5/8"	4"	Clear	Polycarbonate
V-58-WP	5 1/4"	7 5/8"	4"	Clear	Polycarbonate
CV-100-CP	5 5/8"	7 7/8"	4 1/8"	Clear	Polycarbonate
CV-100-WP	5 5/8"	7 7/8"	4 1/8"	White	Polycarbonate
HA-300-C	5 3/4"	8 3/4"	4 3/4"	Clear	Polycarbonate
HA-300-W	5 3/4"	8 3/4"	4 3/4"	White	Polycarbonate
K-3700	5 7/8"	8 1/2"	4 1/8"	Clear	Polycarbonate
F43-A-060105	6"	10 1/2"	4"	Clear	Acrylic
F43-PC-060105	6"	10 1/2"	4"	Clear	Polycarbonate
CV-200-CP	8 5/8"	8 5/8"	4 1/2"	Clear	Polycarbonate
CV-200-WP	8 5/8"	8 5/8"	4 1/2"	White	Polycarbonate
F43-A-105105	10 1/2"	10 1/2"	4"	Clear	Acrylic
F43-PC-105105	10 1/2"	10 1/2"	4"	Clear	Polycarbonate
CV-300-CP	12"	12"	5 1/4"	Clear	Polycarbonate
CV-300-WP	12"	12"	5 1/4"	White	Polycarbonate

F44-048-510	4 7/8"	51"	4 3/4"	Clear	Polycarbonate
F44-095-270	9 1/2"	27"	3 1/4"	Clear	Polycarbonate
F44-092-510	9 1/2"	51"	3 1/4"	Clear	Polycarbonate

CV-800-CP-2	8 1/4"	26 1/4"	3 1/2"	Clear	Polycarbonate
CV-800-CP-4	8 1/4"	50 1/4"	3 1/2"	Clear	Polycarbonate

**Additional sizes are available. Please call or fax in your requirements.
Minimum quantities may apply to some parts.**

Miscellaneous / String Of Lights



STRING OF LIGHTS & CAGE

/ String Of Lights /

PART#	DESCRIPTION	VOLTS/WATTS	CORD	COLOR	PACKAGE
TL-100-SJW	Incandescent 100' 10 socket w/Dome Guard	120/150	14/2	Yellow/Black	Qty 1
BC-200	Plastic (bird) Cage For String Of Lights, Dome Guard			Yellow	Qty 1 / 100

Product Description:

- * Meets OSHA requirements.
- * Non-corrosive cage design.
- * Accommodates up to 150 watt bulbs.
- * Easy relamping feature.
- * Weather-resistant sockets.

Miscellaneous / LED Emergency Lighting & Exit Signs



LED EXIT SIGNS

- Completely self contained
- Push to test switch
- LED lamp life of 25 years plus
- 120 or 277 VAC operation
- Universal mounting canopy
- Energy consumption of less than 4 watts for red
- Damp location rated
- Standard AC and emergency units available



COMBO LED EXIT/EMERGENCY LIGHTS

- Completely self contained
- Push to test switch
- LED lamp life of 25 years plus
- Universal transformer for 120 or 277 VAC
- Universal mounting canopy
- Energy consumption of less than 4 watts for red
- Standard AC and emergency units available
- 6-Volt pure lead maintenance free battery
- Standard with two fully adjustable, glare free lighting heads



EMERGENCY LIGHTING UNIT

- Completely self contained
- Push to test switch
- Available with remote capability
- 6-Volt pure lead maintenance free battery
- Universal transformer for 120 or 277 VAC
- Universal mounting plate with "EZ Quick" connection

BATTERIES AVAILABLE.

CALL FOR MORE INFORMATION. PLEASE SPECIFY AMP HOURS, VOLTAGE AND DIMENSIONS.